



# WHAT'S NEW IN ANSIBLE TOWER 3.4

Bill Nottingham, Product Management  
January, 2019

# WHAT'S NEW IN ANSIBLE TOWER 3.4?

Enhanced workflows

---

Job distribution via job slicing

---

Support for deployments with FIPS enabled

---

# TECHNICAL NOTES FOR OPERATORS

## DEPRECATIONS, REMOVALS, AND BEHAVIOR CHANGES

- **Removal** of deprecated Ansible Tower authtokens  
For API access, use OAuth2 tokens, introduced in Ansible Tower 3.3
- **Removal** of deprecated cluster management commands  
Use `provision_instance` and `deprovision_instance`, instead of `register_instance` and `deprovision_node`
- **Change** to workflow failure behavior  
Any child job/workflow that fails and does not have a failure handling path will mark the workflow as failed
- **Change** Google Compute credentials to use `GCE_CREDENTIALS_FILE_PATH` to match Ansible usage
- **Deprecation** of several read-only, unused, API fields  
See the release notes for details



# THANK YOU



[plus.google.com/+RedHat](https://plus.google.com/+RedHat)



[facebook.com/redhatinc](https://facebook.com/redhatinc)



[linkedin.com/company/red-hat](https://linkedin.com/company/red-hat)



[twitter.com/RedHat](https://twitter.com/RedHat)



[youtube.com/user/RedHatVideos](https://youtube.com/user/RedHatVideos)